Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
Sı	189132	(initialization or configuration) with (data or information)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 14:23
S2	1729478	S1 wirth computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 11:24
S3	20046	S1 with computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 12:46
S4	208	S3 same bridge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 11:24
S5	17944784	@ad < "19990614"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/28 11:25
S6	80	S4 and S5	; IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 11:25
S7	5	S6 and (north near12 bridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/28 12:40
S8	2	("6691224").PN.	; IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/11/28 12:40
<b>S</b> 9	13	("4213182"   "5375161"   "5592675"   "5936526"   "5937434"   "6014760"   "6022274"   "6253276"   "6405311"   "6473857"   "6530031"   "6571333").PN. OR ("6691224").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/28 12:40
\$10	12	("4213182"   "5375161"   "5592675"   "5936526"   "5937434"   "6014760"   "6022274"   "6253276"   "6405311"   "6473857"   "6530031"   "6571333").PN	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/28 12:41
S11	115	S3 and (north near 12 bridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 12:46
S12	90	S11 and (south near12 bridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/11/28 12:47
S13	25	S12 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/02 13:38
S14	12	("4213182"   "5375161"   "5592675"   "5936526"   "5937434"   "6014760"   "6022274"   "6253276"   "6405311"   "6473857"   "6530031"   "6571333").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/28 13:54
S15	2	(*20020147868*).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/12/02 13:34
S16	5	(read\$3 or obtain\$3 or access\$3 or get\$4 or collect\$3) with initialization with north with south with bridge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/02 13:44

S17	3	("4213182").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO;	OR	OFF	2005/12/02 13:45
1			DERWENT ; IBM_TDB			
S18	2	("5375161").PN.	US-PGPUB; USPAT; USOCR; EPO, IPO; DERWENT	OR	OFF	2005/12/02 13:46
S19	2	("6571333").PN.	; IBM_TDB US-PGPUB; USPAT; USOCR; EPO, JPO; DERWENT	OR	OFF	2005/12/02 13:47
S20	2	("6530031"),PN.	; IBM_TDB  US-PGPUB; USPAT; USOCR; EPO, IPO; DERWENT ; IBM_TDB	OR	OFF	2005/12/02 14:17
S21	2	("6119192").PN.	US-PGPUB; USPAT; USOCR; EPO; IPO; DERWENT ; IBM_TDB	OR	OFF	2005/12/02 14:17
S22	0	("BIOSwithSIP"). PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DER WENT	OR	OFF	2005/12/08 14:23
S23	10	BIOS with SIP	; IBM_TDB US-PGPUB; USPAT; USOCR; EPO; IPO; DERWENT	OR	ON	2005/12/08 14:24
S24	23	BIOS with (vendor near12 ID)	; IBM_TDB US-PGPUB; USPAT; USOCR; EPO; IPO;	OR	ON	2005/12/08 14:38
S25	56	BIOS with stor\$3 with (INITIALIZATION NEAR12 DATA)	DERWENT ; IBM_TDB US-PGPUB; USPAT; USOCR; EPO, IPO; DERWENT	OR	ON	2005/12/08 14:46
S26	15	(south near 12 bridge) same (initialization with (data or ID or information))	; IBM_TDB US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/08 14:50
S27	62	(south near12 bridge) same ((initialization or configuration) with (data or ID or information))	; IBM_TDB  US-PGPUB; USPAT; USOCR; EPO, IPO; DERWENT	OR	ON	2005/12/08 14:58
S28	62	(south with bridge) same ((initialization or configuration) with (data or ID or information))	; IBM_TDB US-PGPUB: USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/08 14:58
S29	8	S28 and @ad < "19990701"	; IBM_TDB US-PGPUB; USPAT: USOCR; EPO; IPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 15:01
S30	0	South with bridge with ISA-PCI	US-PGPUB; USPAT; USOCR; EPO; IPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 15:02
\$31	375	South with bridge with ISA	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 15:02

S32	269	South with bridge with (ISA with PCI)	US-PGPUB:	OR	ON	2005/12/08 17:26
			USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB			
S33	589	initialization with (data or information) with ID	US-PGPUB: USPAT: USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 17:34
S34	47	S33 and BIOS	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 17:27
S35	1949071	initialization with (data or information) with (compris\$3 or includ\$3) ID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 17:34
S36	165	initialization with (data or information) with (compris\$3 or includ\$3) with ID	US-PGPUB: USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 17:35
S37	137	S36 and computer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 17:35
S38	30	S37 and @ad < "19990101"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/12/08 17:35